

according to 1907/2006/EC, Article 31

Page 1/6

C3 DEGREASER DESCALER

Revision 14

Revision date 2015-06-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	C3 DEGREASER DESCALER
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	Clairoy Maintenance Chemicals
---------	-------------------------------

Address 29 Dyson Close,

Rugby, Warwickshire CV21 4LG

 Web
 www.clairoy.co.uk

 Telephone
 01788 561722

 Fax
 01788 537550

 Email
 sales@clairoy.co.uk

1.4. Emergency telephone number

Emergency telephone number	01788 561722
Emergency rejectione number	1 01/88 561///

Company CLAIROY MAINTENANCE CHEMICALS

NORMAL OFFICE HOURS

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	Xi; R36/38
Z. I. I. Classification -	AI, K30/30

1999/45/EC Symbols: Xi: Irritant.

Main hazards Irritating to eyes and sk

Main hazards Irritating to eyes and skin.

2.1.2. Classification - ECSkin Irrit. 2: H315; Eye Irrit. 2: H319; **1272/2008**

2.2. Label elements

Hazard pictograms



Signal Word

Il Word Warning

Hazard Statement Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary Statement:

Prevention

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ oR /if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water/ .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Revision 14 Revision date 2015-06-25

2.2. Label elements

	lenses, if present and easy to do. Continue rinsing.		
	P332+P313 - If skin irritation occurs: Get medical advice/attention.		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		
Precautionary Statement:	P405 - Store locked up.		
Storage			
Precautionary Statement:	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES		
Disposal			

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Phosphoric acid% (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20%	C; R34	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	F; R11 T; R23/24/25-39/23/24/25	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification M-factor. (%w/w)
Phosphoric acid% (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20% Skin Corr. 1B: H314;
WATER					60 - 70%
2 BUTOXY ETHANOL		111-76-2	203-905-0	01-2119475108-36	1 - 10% Acute Tox. 4: H302; Acute
(2-Butoxyethanol)					Tox. 4: H312; Skin Irrit. 2:
					H315; Eye Irrit. 2: H319; Acute Tox. 4: H332;
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10% Flam. Liq. 2: H225; Acute
					Tox. 3: H331; Acute Tox. 3:
					H311; Acute Tox. 3: H301;
ALCOHOL ETHOXYLATE		68439-46-3			STOT SE 1: H370; 0.5 - 1% Acute Tox. 4: H302; Eye
ALCOHOL ETHOXTLATE		00439-40-3			Dam. 1: H318;
PERFUME					0 - 0.5%
Dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5% Flam. Liq. 3: H226; Skin Irrit.
					2: H315; Skin Sens. 1: H317;
					Aquatic Acute 1: H400;
HEXYL CINNAMAL		101-86-0			Aquatic Chronic 1: H410; 0 - 0.5%
TIEXTE OHVIVAWAL		101-00-0			0 - 0.070
DYE					0 - 0.5%
I .					

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air. Seek medical
	attention.
Eye contact	Causes severe inflammation and may damage the cornea. Seek medical attention.
Skin contact	May cause severe irritation to eyes and skin. Wash off immediately with plenty of soap and water.
	Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. Ingestion is irritating
	to the respiratory tract and may cause damage to the central nervous system. If swallowed, seek
	medical advice immediately and show this container or label

SECTION 5: Firefighting measures

5.1. Extinguishing media

Alcohol resistant foam. Carbon dioxide (CO2).



Revision 14

Revision date 2015-06-25 5.2. Special hazards arising from the substance or mixture Corrosive. Burning produces irritating, toxic and obnoxious fumes. 5.3. Advice for firefighters Self-contained breathing apparatus. Wear protective clothing SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Evacuate personnel to a safe area. Wear suitable protective equipment. 6.2. Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. SECTION 7: Handling and storage 7.1. Precautions for safe handling Avoid contact with eyes and skin. 7.2. Conditions for safe storage, including any incompatibilities Keep in a cool, dry, well ventilated area. Keep containers tightly closed SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1. Exposure Limit Values

2 BUTOXY ETHANOL (2-Butoxyethanol)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
, ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Phosphoric acid% (Orthophosphoric acid)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

No data available.

Exposure Pattern - Workers



Revision 14 Revision date 2015-06-25

Exposure Pattern - Workers

2 BUTOXY ETHANOL	Acute inhalation - Systemic 663	53 mg/m³	
	effects		
	Acute inhalation - Local effects 246	46 mg/m³ Acute dermal - Systemic effect	ts 89 mg/kg
	Long-term - dermal - Systemic 75	ō mg/kg	
	effects		

Exposure Pattern - General population

2 BUTOXY ETHANOL	Acute inhalation - Systemic 426 mg/m³ effects	
	Acute dermal - Systemic effects 44.5 mg/kg	Acute oral - Systemic effects 13.4 mg/kg
	Long-term - inhalation - Local 123 mg/kg	Long-term - dermal - Systemic 38 mg/kg
	effects	effects
	Long-term - oral - Systemic 3.2 mg/kg	
	effects	

8.2. Exposure controls

8.2.1. Appropriate engineering	Not normally required.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Not normally required. Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Colour	Liquid
Colour	Clear
Odour	Characteristic
pH	1 - 3
Initial boiling point Relative density	100
Relative density	1.11 NOMINAL

Water solubility

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions. REACTS WITH HYPOCHLORITES(BLEACH) TO GIVE OFF
TOXIC FUMES OF CHLORINE.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to eyes and skin. Seek medical attention if irritation or symptoms persist.
Repeated or prolonged	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
exposure	

SECTION 12: Ecological information

12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not boidegradable however those present in this formulation/product are either of no



Revision 14 Revision date 2015-06-25

12.2. Persistence and degradability				
	known significant environmetal hazard or are readilly neutralised to form inert salts.			
SECTION 13: Disposal cons	SECTION 13: Disposal considerations			
General information				
	Dispose of in compliance with all local and national regulations.			
SECTION 14: Transport info	rmation			
14.1. UN number				
	The product is not classified as dangerous for carriage.			
14.2. UN proper shipping name				
	The product is not classified as dangerous for carriage.			
14.3. Transport hazard class(es				
	The product is not classified as dangerous for carriage.			
14.4. Packing group				
	The product is not classified as dangerous for carriage.			
14.5. Environmental hazards				
	The product is not classified as dangerous for carriage.			
14.6. Special precautions for us	er			
	The product is not classified as dangerous for carriage.			
14.7. Transport in bulk accordin	14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
	The product is not classified as dangerous for carriage.			
Further information				
	The product is not classified as dangerous for carriage.			
SECTION 15: Regulatory inf	SECTION 15: Regulatory information			
15.2. Chemical safety assessment				

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 2 - Precautionary Statement: Response.
Text of risk phrases in Section 3	R11 - Highly flammable. R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R36/38 - Irritating to eyes and skin.
	R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
Text of Hazard Statements in	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Acute Tox. 3: H301 - Toxic if swallowed.
	Acute Tox. 3: H311 - Toxic in contact with skin.
	Acute Tox. 3: H331 - Toxic if inhaled.
	STOT SE 1: H370 - Causes damage to organs .
	Acute Tox. 4: H302 - Harmful if swallowed.



Revision 14 Revision date 2015-06-25

Other information		
	Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

