

according to 1907/2006/EC, Article 31

1/5 Page

# **POWERFUL CLEANER DEGREASER**

Revision 6 Revision date 2015-06-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	POWERFUL CLEANER DEGREASER
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

## 1.3. Details of the supplier of the safety data sheet

Company	Clairoy Maintenance Chemicals

Address 29 Dyson Close.

Rugby, Warwickshire CV21 4LG

Web www.clairoy.co.uk Telephone 01788 561722 Fax 01788 537550 **Email** sales@clairoy.co.uk

## 1.4. Emergency telephone number

Emergency te	elephone number	01788 561722
--------------	-----------------	--------------

**CLAIROY MAINTENANCE CHEMICALS** Company

NORMAL OFFICE HOURS

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification -	Xi;	R3	6/3	8
4000445750	_			٠.

1999/45/EC Symbols: Xi: Irritant.

Main hazards Irritating to eyes and skin.

2.1.2. Classification - EC Skin Corr. 1A: H314; 1272/2008

#### 2.2. Label elements

# Hazard pictograms



Signal Word

**Hazard Statement** 

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

**Precautionary Statement:** 

P102 - Keep out of reach of children.

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse



Revision 6 Revision date 2015-06-16

## 2.2. Label elements

	skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to
Dioposai	

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

# 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
2 BUTOXY ETHANOL		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
(2-Butoxyethanol)							
SODIUM METASILICATE PENTA		6834-92-0	229-912-9	01-2119449811-37	1 - 10%	C; R34	
HYDRATE				01-2119449811-37			
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	1 - 10%	C; R35	
-							

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					80 - 90%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0.5 - 1%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
SODIUM XYLENE SULPHONATE		1300-72-7			0 - 0.5%	Eye Irrit. 2: H319;	
2 BUTOXY ETHANOL (2-Butoxyethanol)		111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H332;	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	1 - 10%	Skin Corr. 1A: H314;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0.5 - 1%	Eye Irrit. 2: H319;	
ALCOHOL ETHOXYLATE		68439-46-3			0.5 - 1%	Acute Tox. 4: H302; Eye Dam. 1: H318;	

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.  Move the exposed person to fresh air. Seek medical attention. May cause irritation to respiratory system.
	System.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
	Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated
	clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.
	1 9 7
	I DO NOT INDUCE VOMITING.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media



Revision 6 Revision date 2015-06-16

5.1. Extinguishing media		
	Carbon dioxide (CO2).	
.2. Special hazards arising fr	om the substance or mixture	
	Burning produces irritating, toxic and obnoxi	ous fumes.
.3. Advice for firefighters		
	Wear suitable respiratory equipment when r	necessary.
SECTION 6: Accidental re	lease measures	
.1. Personal precautions, pro	tective equipment and emergency procedures	
	Wear suitable protective equipment.	
.2. Environmental precaution	s	
	Do not allow product to enter drains. Preven	t further spillage if safe.
3. Methods and material for	containment and cleaning up	
	Absorb with inert, absorbent material. Swee disposal. Clean spillage area thoroughly with	p up. Transfer to suitable, labelled containers for n plenty of water.
SECTION 7: Handling and	storage	
.1. Precautions for safe hand	lling	
	Avoid contact with eyes and skin. Adopt bes carrying and dispensing.	t Manual Handling considerations when handling,
.2. Conditions for safe storag	e, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Kee containers.	ep containers tightly closed. Store in correctly labell
SECTION 8: Exposure cor	containers.	ep containers tightly closed. Store in correctly labell
·	containers.	ep containers tightly closed. Store in correctly labell
•	containers.	ep containers tightly closed. Store in correctly labell
3.1. Control parameters	containers.	ep containers tightly closed. Store in correctly labell
.1. Control parameters .1.1. Exposure Limit Values	containers.  htrols/personal protection	
2.1. Control parameters 2.1.1. Exposure Limit Values 2 BUTOXY ETHANOL	containers.	ep containers tightly closed. Store in correctly labell  WEL 8-hr limit mg/m3: 123
3.1. Control parameters 3.1.1. Exposure Limit Values 2 BUTOXY ETHANOL	containers.  htrols/personal protection	
3.1. Control parameters 3.1.1. Exposure Limit Values 2 BUTOXY ETHANOL	well 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total -	WEL 8-hr limit mg/m3: 123 WEL 15 min limit mg/m3: 101.2 WEL 15 min limit mg/m3 total -
.1. Control parameters .1.1. Exposure Limit Values	well 8-hr limit ppm: 25 Well 15 min limit ppm: 50 Well 8-hr limit mg/m3 total - inhalable dust:	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:
1. Control parameters  1.1. Exposure Limit Values  BUTOXY ETHANOL	well 8-hr limit ppm: 25  WEL 8-hr limit ppm: 50  WEL 8-hr limit mg/m3 total - inhalable dust:  WEL 8-hr limit mg/m3 total -	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:  WEL 15 min limit mg/m3 total -
1. Control parameters  1.1. Exposure Limit Values  BUTOXY ETHANOL 2-Butoxyethanol)	well 8-hr limit ppm: 25 Well 15 min limit ppm: 50 Well 8-hr limit mg/m3 total - inhalable dust:	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:
1. Control parameters  1.1. Exposure Limit Values  BUTOXY ETHANOL  2-Butoxyethanol)	well 8-hr limit ppm: 25  Well 8-hr limit ppm: 50  Well 8-hr limit mg/m3 total - inhalable dust:  Well 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:  WEL 15 min limit mg/m3 total - respirable dust:
3.1. Control parameters 3.1.1. Exposure Limit Values 2 BUTOXY ETHANOL 2-Butoxyethanol)	WEL 8-hr limit ppm: 25  WEL 15 min limit ppm: 50  WEL 8-hr limit mg/m3 total - inhalable dust:  WEL 8-hr limit mg/m3 total - respirable dust:  WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:  WEL 15 min limit mg/m3 total - respirable dust:  WEL 8-hr limit mg/m3: -
3.1. Control parameters 3.1.1. Exposure Limit Values 2 BUTOXY ETHANOL (2-Butoxyethanol)	well 8-hr limit ppm: 25  Well 8-hr limit ppm: 50  Well 8-hr limit mg/m3 total - inhalable dust:  Well 8-hr limit mg/m3 total - respirable dust:  Well 8-hr limit ppm: - Well 8-hr limit ppm: - Well 8-hr limit ppm: - inhalable dust:	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:  WEL 15 min limit mg/m3 total - respirable dust:  WEL 8-hr limit mg/m3: -  WEL 15 min limit mg/m3: 2  WEL 15 min limit mg/m3 total - inhalable dust:
SECTION 8: Exposure cor 3.1. Control parameters 3.1.1. Exposure Limit Values 2 BUTOXY ETHANOL (2-Butoxyethanol)  Sodium hydroxide	WEL 8-hr limit ppm: 25  WEL 15 min limit ppm: 50  WEL 8-hr limit mg/m3 total - inhalable dust:  WEL 8-hr limit mg/m3 total - respirable dust:  WEL 8-hr limit ppm: -  WEL 15 min limit ppm: -  WEL 15 min limit ppm: -  WEL 8-hr limit mg/m3 total -	WEL 8-hr limit mg/m3: 123  WEL 15 min limit mg/m3: 101.2  WEL 15 min limit mg/m3 total - inhalable dust:  WEL 15 min limit mg/m3 total - respirable dust:  WEL 8-hr limit mg/m3: -  WEL 15 min limit mg/m3: 2  WEL 15 min limit mg/m3 total -



Acute inhalation - Systemic 663 mg/m<sup>3</sup>

Acute inhalation - Local effects 246 mg/m<sup>3</sup>

Long-term - dermal - Systemic 75 mg/kg

effects

effects

**Exposure Pattern - Workers** 

2 BUTOXY ETHANOL

Acute dermal - Systemic effects 89 mg/kg

Revision 6 Revision date 2015-06-16

## **Exposure Pattern - General population**

2 BUTOXY ETHANOL	Acute inhalation - Systemic 426 mg/m³ effects	
	Acute dermal - Systemic effects 44.5 mg/kg	Acute oral - Systemic effects 13.4 mg/kg
	Long-term - inhalation - Local 123 mg/kg	Long-term - dermal - Systemic 38 mg/kg
	effects	effects
	Long-term - oral - Systemic 3.2 mg/kg	
	effects	

#### 8.2. Exposure controls

8.2.1. Appropriate engineering	Not normally required.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Not normally required.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Colour	Liquid
Colour	Clear
Odour	Characteristic
pH	13.5
Initial boiling point	100
Relative density	1.05 NOMINAL

#### Water solubility

Cliabtly	soluble	in	wotor
Silantiv	Soluble	Ш	water.

# SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

Stable under normal conditions.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	May cause irritation to mucous membranes.	
Skin corrosion/irritation	Irritating to eyes and skin. May cause severe irritation to eyes and skin.	

# SECTION 12: Ecological information

## 12.1. Toxicity

No data is available on this product.

#### 12.2. Persistence and degradability

More than 90% biodegradable. DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not boidegradable however those present in this formulation/product are either of no known significant environmetal hazard or are readilly neutralised to form inert salts.

## **SECTION 13: Disposal considerations**

## General information

Dispose of in compliance with all local and national regulations.



Revision 6 Revision date 2015-06-16

# SECTION 14: Transport information

#### **Further information**

The product is not classified as dangerous for carriage.

# **SECTION 15: Regulatory information**

## 15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

# **SECTION 16: Other information**

#### Other information

Revision	This document differs from the previous version in the following areas:.
	1 - REACH.
	2 - Precautionary Statement: Response.
Text of risk phrases in Section	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.
3	R34 - Causes burns.
	R35 - Causes severe burns.
	R36/38 - Irritating to eyes and skin.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Eye Dam. 1: H318 - Causes serious eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

## **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.